

Janstar Multi Surface Cleaner Trigger Powder - 10g Sachet

Page: 1

Compilation date: 23/02/2021

Revision date: 30/01/2020

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: Janstar Multi Surface Cleaner Trigger Powder - 10g Sachet

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products).

1.3. Details of the supplier of the safety data sheet

Company name: Out of Eden Ltd

Home Farm Buildings

Kirkby Stephen

CA17 4AP

UK

Tel: +44 (0)1768 372939 (Office hours 9am-5pm Mon-Fri excl. bank holidays)

Email: sales@outofeden.co.uk

1.4. Emergency telephone number

Emergency tel: Call NHS 111, 999 or a doctor

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1B: H314; Aquatic Chronic 3: H412; -: EUH208

Most important adverse effects: Contains eucalyptol, linalyl acetate. May produce an allergic reaction. Causes severe

skin burns and eye damage. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: EUH208: Contains eucalyptol, linalyl acetate. May produce an allergic reaction.

H314: Causes severe skin burns and eye damage.

H412: Harmful to aquatic life with long lasting effects.

Hazard pictograms: GHS05: Corrosion



Signal words: Danger

Janstar Multi Surface Cleaner Trigger Powder - 10g Sachet

Page: 2

Precautionary statements: P102: Keep out of reach of children.

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

1 30111 33011 331. II SWALLOWED. Milise Mouth. Do NOT induce volinting

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-18-ALKYLDIMETHYL, CHLORIDES

EINECS	CAS	PBT / WEL	CLP Classification	Percent
269-919-4	68391-01-5	-	Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Acute 1: H400	1-10%
QUATERNARY	AMMONIUM COM	POUNDS C12-C18- ALKYL-[(ETHYLBE	NZYL) METHYL] DIMETHYL, CHLORIDES	
273-318-2	68956-79-6	-	Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Acute 1: H400; Flam. Liq. 3: H226	1-10%
SODIUM CARE	BONATE - REACH I	registered number(s): 01-2119485498-19	I-XXXX	
207-838-8	497-19-8	-	Eye Irrit. 2: H319	1-10%
SILICIC ACID,	SODIUM SALT - RI	EACH registered number(s): 01-2119448	725-31-XXXX	
215-687-4	1344-09-8	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319; STOT SE 3: H335	1-10%
ETHOXYLATE	D ALCOHOL			
-	Proprietary	-	Eye Irrit. 2: H319	1-10%
AMINES, C12-	18-ALKYLDIMETHY	Ί		
269-923-6	68391-04-8	-	Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Chronic 1: H410	<1%
EUCALYPTOL	- REACH registere	d number(s): 01-2119967772-24-XXXX		
207-431-5	470-82-6	-	Flam. Liq. 3: H226; Skin Sens. 1B: H317	<1%

Janstar Multi Surface Cleaner Trigger Powder - 10g Sachet

Page: 3

LINALYL ACETATE - REACH registered number(s): 01-2119454789-19-XXXX

204-116-4	115-95-7	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319;	<1%
			Skin Sens. 1B: H317	

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still

on skin. Transfer to hospital if there are burns or symptoms of poisoning.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10

minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital

as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If

unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and

provide oxygen if available. Transfer to hospital as soon as possible.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be

bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes.

Janstar Multi Surface Cleaner Trigger Powder - 10g Sachet

Page: 4

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and

away from danger point. Mark out the contaminated area with signs and prevent access

to unauthorised personnel. Do not attempt to take action without suitable protective

clothing - see section 8 of SDS. Do not create dust.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific

substance. Transfer to a closable, labelled salvage container for disposal by an

appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of dust in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

Janstar Multi Surface Cleaner Trigger Powder - 10g Sachet

Page: 5

Hazardous ingredients:

AMINES, C12-18-ALKYLDIMETHYL

Туре	Exposure	Value	Population	Effect
DNEL	Inhalation	1 mg/m3	Workers	Systemic
DNEL	Oral	0.5 mg/kg bw/day	General Population	Systemic
PNEC	Fresh water	0.26ug/l	-	-
PNEC	Marine water	0.03ug/l	-	-
PNEC	STP	130ug/l	-	-
PNEC	Fresh water sediments	1.25 mg/kg sediment	-	-
PNEC	Marine sediments	0.125 mg/kg sediment	-	-
PNEC	Soil	1mg/kg soil sw	-	-

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Under normal conditions of use gloves are not normally required.Eye protection: Under normal conditions of use eye protection is not required.Skin protection: If handled in the correct way no special equipment required

Environmental: Prevent from entering in public sewers or the immediate environment.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Powder

Colour: Turbid Liquid

Odour: Characteristic odour

Evaporation rate: No data available.

Oxidising: No data available.

Solubility in water: Soluble

Viscosity: No data available.

Boiling point/range°C: Not applicable Melting point/range°C: No data available.

Flammability limits %: lower: No data available. upper: No data available.

Flash point°C: Not applicable Part.coeff. n-octanol/water: No data available.

Autoflammability°C: No data available. Vapour pressure: No data available.

Relative density: No data available. **pH:** 10.61 (5% soln)

VOC g/I: No data available.

9.2. Other information

Other information: No data available.

Janstar Multi Surface Cleaner Trigger Powder - 10g Sachet

Page: 6

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

SODIUM CARBONATE

ORL	MUS	LD50	6600	mg/kg
ORL	RAT	LD50	4090	mg/kg
SCU	MUS	LD50	2210	mg/kg

AMINES, C12-18-ALKYLDIMETHYL

		I		
	l _ . _	1		
ORAL	D∆T	11 050	1000 - 1250	ma/ka
UIVAL	11/71	LD50	1000 - 1230	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be

bleeding from the mouth or nose.

Janstar Multi Surface Cleaner Trigger Powder - 10g Sachet

Page: 7

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Soluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

Disposal of packaging: Not applicable.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1759

14.2. UN proper shipping name

Shipping name: CORROSIVE SOLID, N.O.S.

14.3. Transport hazard class(es)

Transport class: 8

14.4. Packing group

Packing group: ||

Janstar Multi Surface Cleaner Trigger Powder - 10g Sachet

Page: 8

14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E
Transport category: 2

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

Other information

Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation

(EU) 2015/830

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH208: Contains eucalyptol, linally acetate. May produce an allergic reaction.

H226: Flammable liquid and vapour.

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.